

SMARTIE[™][UL8W]

Get Smart. Get Smartie[™], the only next generation powerchair with new Envirofriendly[®] battery technology. Shoprider introduces another first in powered mobility with its extremely lightweight, high performance, extended life high energy batteries. Smartie[™] provides virtually zero maintenance over the life of its batteries, and will outlast today's bigger, heavier batteries by a longshot without compromising its performance. It's Mall friendly with One-Touch effortless disassembly and transportability... Smart design, Smart technology, the Smartie[™] will go anywhere you want to go.....the smart way. Enjoy tomorrow's products today.

Toll-Free: 800.743.0772 www.shoprider.com





Connectorless technology for easy assembly

Extra light weight

PORTABLE POWER CHAIR

Charging time: 2 to 4.5 hours

base Lithium Iron Batteries

(height, length, angle adjustable)

Extra light, 93 lbs only (incl. Batteries)

With revolutionary ENVIROFRIENDLY[®] Battery.

High-powered and better cycle life Phosphate

Removable fold up footrest with full function

- Rear wheel drive
- Connectorless technology for easy assembly
- "One touch" disassembly into three major parts: Seat w/Controller: 37 lbs
 Front chassis w/Batteries: 27 lbs
 Rear Chassis w/Drive train: 29 lbs
- Adjustable seat height, padded full function, armrest (width, height, angle adjustable)

SMARTIE[™]



| Overall Dimensions (L x W x H) | in | 36 x 23 x 37 |
|--|--------------|----------------|
| Number, Size of Tires (front; rear) | Front (rear) | 2, 6" (2, 8") |
| Suggested User Weight (on a level road) | lb | 250 |
| Weight of Heaviest Part (Rear chassis w/ drive train) | lb | 29 |
| Total Weight (w/ batteries, basket, seat) | lb | 93 |
| Each Battery Module Weight | lb | 5.8 |
| Battery Module Capacity | _V_Ah x Pcs | 12V12Ah x 2 |
| Charger | | Off Board (2A) |
| Output Power of Motor | hp | 0.45 |
| Maximum Speed2 | mph | 3.75 |
| Max. Climbing Angle/Safe Climbing Angle(based on user weight of 90kg/200lb.) | % (°) | 10 (6) |
| Range (per charge) (After the battery and mechanical moving parts fully break in) | mile | Up to 10 miles |
| Turning Radius | in | 15.5 |
| | | |

•

All specifications are subject to change without prior notice. Shoprider Mobility Products, Inc. reserves the rights of any changes to the unit.

1) Include the anti-tip wheel or the rear castor.

2) Driver weight may exceed weight of the unit; speed must be reduced when turning.

3) The actual driving range varies with the factors shown as below:

a) The weight of occupant b) Ground surface

d) Type of charger e) Ambient temperature

g) If the battery and mechanical moving parts fully break in

c) Battery capacity and conditions f) The way of driving h) Etc.